

Manfrotto – mikrofonní stativy a stativy pro reproduktory



BLACK ALU MICROPHONE STAND 622B

Aluminium microphone stand.



195cm



108cm



2.7kg



2kg



Type 36



STEEL MICROPHONE STAND 622CS

Chrome steel microphone stand.



195cm



108cm



3.2kg



2kg



Type 36



UNIVERSAL SHOCK MOUNT MICROPHONE HOLDER MICC4

Made in aluminium supplied with a rubber dampening system to prevent shocks and vibrations. This rubber system allows efficient rapid microphone mounting. The swivelling yoke has a 3/8" threaded hole that allows convenient mounting to the range of carbon fiber microphone booms. Accepts a large variety of microphones.



0.121kg



MICROPHONE CLIP MICC1

Standard type microphone clip.



0.05kg



MICROPHONE SPRING CLIP MICC2

Universal type microphone clip. Grabs microphones from diameter 20mm to 35mm.



0.05kg



**BLACK SELF LOCK
LEG STAND 256BMUAC**

Black steel base, aluminium sections, air cushioned stand.
2 sections, 1 riser. Ø: 40, 35mm. Leg Ø: 22mm. 1 levelling leg.
SELF LOCK SYSTEM PATENTED

				
109cm	218cm	106cm	126cm	2.5kg
				
20kg	10kg@218cm	35mm	109, 110, 110G	



**BLACK ALU LEVELLING
LEG LE STAND 126BMUAC**

Black aluminium stand, air cushioned. 2 sections, 1 riser.
Ø: 40, 35mm. Leg Ø: 22mm. 1 levelling leg.

				
106cm	218cm	106cm	126cm	2.5kg
				
30kg	10kg@218cm	35mm	109, 110, 110G	



**BLACK STEEL
MIDI LE STAND 604BSM**

Chrome plated steel stand. 2 sections, 1 riser.
Ø: 40, 35mm. Leg Ø: 22mm.

				
154cm	260cm	132cm	126cm	6.6kg
				
40kg	10kg@260cm	35mm	109, 110, 110G	

**BLACK STEEL
MAXI LE STAND 606BSM**

Chrome plated steel stand. 2 sections, 1 riser.
Ø: 40, 35mm. Leg Ø: 22mm.

				
182cm	316cm	160cm	126cm	7.2kg
				
40kg	3kg@316cm	35mm	109, 110, 110G	



BLACK STEEL LOW LEVEL STAND 602BSM

Black chrome plated steel stand. 2 sections, 1 riser.
 Ø: 40, 35mm. Leg Ø: 22mm.

125cm	205cm	104cm	118cm	5.7kg
50kg	18kg@205cm	35mm	109, 110, 110G	



TOP M10 STAND 611-10

M10 Bolt fixing for 32/38mm tube.

TOP M12 STAND 611-12 Not illustrated

Same as 611-10 with M12 screw.



CABINET FITTINGS 612

Ramsa / Bose universal adaptor for 32/38mm tube.



PAN SPIGOT M10 616-10

Rotating 28mm spigot with M10 screw attachment.
 Smooth rotation is assured by a Teflon bearing.
 Complete with locking knob to block panoramic position.

PAN SPIGOT M12 616-12

Same as 616-10 with M12 screw attachment.



16MM LE ADAPTER 623

Designed to fit speaker stands, it forms a top fixing which mounts luminaires that have a 16mm spigot. Fits top tubes with diameters between 32mm and 38mm.



28MM ADAPTER 617

Designed to fit speaker stands, it forms a top stand fixing which mounts luminaires with a 28mm spigot. Fits top tubes with diameters between 32mm and 38mm.



SPEAKER ADAPTER FOR 28MM BUSHING 618

This speaker adapter (35mm diameter) can be mounted on all lightstands equipped with a 28mm bushing.



SPEAKER ADAPTER FOR STAND 619

Female adapter equipped with 35mm stud for stands with top tube diameter between 32mm and 38mm.



TILTING SPEAKER ADAPTER 624

Designed to be mounted onto tubes from 32mm to 38mm diameter. It is equipped with a 35mm speaker stud tilting from 0° to 20°. PATENTED