



### FIVE SOCKET BRACKET 169

100cm long T Bar with 5 x 28mm sockets for attaching up to 5 lighting fixtures. Designed to fit on stand or bracket with 28mm socket.  
\*When load on one side only, max load capacity: 15kg.



6.10kg



28mm



28mm



50kg\*



### THREE BABY BRACKET 154B

65cm long T Bar with 3 x 16mm sockets plus 3 x 16mm Spigot Art. 013. Designed to fit on stand or bracket with 16mm pin.



0.79kg



28mm



16mm + Spigot Art. 013



### T BAR 613

6 x Lantern T Bar 1420mm long.

### T BAR 614 Not illustrated

4 x Lantern T Bar 1220mm long.

### T BAR 615 Not illustrated

4 x Lantern T Bar 610mm long.



### EXPAN ATTACHMENT 081

Another quick solution to hang your expan up to a baby stand.



0,204kg



Type 1



### T BAR 613PAR

"T" Bar specifically design to carry six PAR 57 or 64 luminaires.  
Supplied with a built in TV male spigot. Max load capacity: 6kg on each attachments, only at the ends 12kg on each side.



## WIND-BRACING KIT 087WBK

Wind-bracing kit of 3 ropes. Length: 10m. Not supplied with the stand.



## SMALL SAND BAG G100 (Sand not supplied)



6kg

## LARGE SAND BAG G200 (Sand not supplied)



10kg



## EXTRA LARGE SAND BAG G300 (Sand not supplied)



35kg



## SAFETY COLLAR 698

Secondary safety system for all speaker stands. When locked into position, it stops upper stand sections from dropping when you open the stand locking knob.



## STAND HOLDER 027

Holder for 8 light stands. Width: 115cm. Distance between fixing holes: 64.4cm. Depth: 19cm.



2.8kg



### SMALL CABLE CLIP 064

Clamps on Ø: 18mm to 26mm. Allen key not supplied.  
Set of four.



0.02kg



### CABLE CLIP 206

Clamps on Ø: 25mm to 28mm. Allen key not supplied.  
Set of four.



0.02kg



### MINI CLIP 178

Set of four clips for maximum thickness of 6mm.



0.02kg



### ADJUSTABLE MINI CLIP 201

Mini clip to hold light panels from 0mm to 12.5mm thickness.  
Adjustable from: 0mm to 12.5mm. Set of four clips.



0.03kg



### LARGE CABLE CLIP 093

Clamps on Ø: 28mm to 40mm. Allen key not supplied.  
Set of four.



0.03kg



### CABLE GRIPS 371

Set of ten Cable Grips.  
Self-gripping double-sided velcro strips for wrapping and storing cables of any type and length.  
Cable Grip is fast, sure, reusable, and dirt-resistant.

Available in the following sizes and colours:  
COLOURS: Black (B), Red (R), Yellow (Y), Blue (BL) and White (W)  
SIZE (cm.)

2.5 x 15	(2515)	4.0 x 40	(4040)
2.5 x 25	(2525)	4.0 x 60	(4060)
2.5 x 40	(2540)	4.0 x 90	(4090) (Set of 5 Cable Grips)

Order code:  
to order, combine product code, colour code and size code.  
For example: 371B - 4060 Black Cable Grip 4,0 x 60 cm.



### CASTER WHEEL SET 017

Caster wheel set for stands with legs  $\varnothing$ : 19mm. Set of three.



0.45kg



10kg



### CASTER WHEEL SET 018

Caster wheel set for stands with legs  $\varnothing$ : 22mm. Set of three.



0.45kg



10kg



### WHEEL SET 103

$\varnothing$ : 80mm without brakes, with M10 attachment. Set of three.



1.24kg



60kg



### WHEEL SET 104

$\varnothing$ : 75mm with brakes and M10 attachment. Set of three.



1.5kg



75kg



### WHEEL SET 109

$\varnothing$ : 80mm without brakes and adapter for legs  $\varnothing$ : 22mm. Set of three.



1.43kg



60kg



### WHEEL SET 110

$\varnothing$ : 75mm with brakes and adapter for legs  $\varnothing$ : 22mm. Set of three.



1.7kg



75kg



### WHEEL SET 104G

Ø: 100mm with brakes and M10 attachment. Set of three.



3kg



100kg



### WHEEL SET 110G

Ø: 100mm with brakes and adapter for legs Ø: 22mm. Set of three.



3.2kg



100kg



### WHEELS FOR SUPER WIND UP 251

Ø: 125mm with brakes. Set of three.



4.5kg



100kg



### WHEELS FOR SUPER WIND UP 374

Ø: 160mm with brakes. Set of three.



7.2kg



300kg

### WHEELS FOR SUPER WIND UP 374-10 Not illustrated

Ø: 160mm with brakes and M10 attachment. Set of three.



7.2kg



300kg

This type number refers to the spigot and socket variants shown in product specifications.

$\frac{1}{4}''$  Indicates an external thread or stud diameter  
 ● Metric ● Imperial

$\frac{1}{4}''$  Indicates an internal thread or socket diameter  
 ● Metric ● Imperial

**W:** Indicates an internal thread or socket diameter

