





BLACK ALU STAND 008BU

Black aluminium stand. 2 sections, 1 riser.
Ø: 35, 30mm. Leg Ø: 22mm. 1 levelling leg.



STEEL JUNIOR STAND 008CSU

Chrome plated steel stand. 2 sections, 1 riser.
Ø: 35, 30mm. Leg Ø: 22mm. 1 levelling leg.





**BLACK ALU
SENIOR STAND 007BU AC**

Aluminium stand. 3 sections, 2 risers.
Ø: 35, 30, 25mm. Leg Ø: 22mm. 1 levelling leg.

124cm	315cm	122cm	118cm	3kg
12kg	2.5kg@315cm	Type 14	109, 110, 110G	



**BLACK STEEL
SENIOR STAND 007BSU**


Black chrome plated steel stand. 3 sections, 2 risers.
Ø: 35, 30, 25mm. Leg Ø: 22mm. 1 levelling leg.

124cm	325cm	122cm	118cm	7.3kg
20kg	6.7kg@325cm	Type 14	109, 110, 110G	



STEEL SENIOR STAND 007CSU

Chrome plated steel stand. 3 sections, 2 risers.
Ø: 35, 30, 25mm. Leg Ø: 22mm. 1 levelling leg.



BLACK STEEL TALL STAND 111BSU


Black chrome plated steel stand. 3 sections, 2 risers.
Ø: 35, 30, 25mm. Leg Ø: 22mm. 1 levelling leg.
The small footprint makes this stand perfect for tight spaces.





STEEL TALL STAND 111CSU

Chrome plated steel stand. 3 sections, 2 risers.
Ø: 35, 30, 25mm. Leg Ø: 22mm. 1 levelling leg.
The small footprint makes this stand perfect for tight spaces.



BLACK STEEL HEAVY DUTY STAND 126BSU AC


Chrome plated steel stand. 3 sections, 2 risers.
Ø: 40, 35, 30mm. Leg Ø: 22mm. 1 levelling leg.





**STEEL HEAVY
DUTY STAND 126CSU AC**

Chrome plated steel stand. 3 sections, 2 risers.
Ø: 40, 35, 30mm. Leg Ø: 22mm. 1 levelling leg.



**BLACK ALU
SUPER STAND 269BU**


Aluminium stand. 4 sections, 3 risers.
Ø: 50, 45, 40, 35mm. Leg Ø: 30mm. 1 levelling leg.



BLACK STEEL SUPER STAND 270BSU

Black chrome plated steel stand. 4 sections, 3 risers.
Ø: 50, 45, 40, 35mm. Leg Ø: 30mm. 1 levelling leg.
There is a reason we call this the super stand! Incredible reach of 477cm that
can support fixtures up to 40kg.

				
144cm	477cm	144cm	174cm	13.5kg
				
40kg	12kg@477cm	Type 14	103, 104, 104G	



STEEL SUPER STAND 270CSU

Chrome plated steel stand. 4 sections, 3 risers.
Ø: 50, 45, 40, 35mm. Leg Ø: 30mm. 1 levelling leg.

				
144cm	477cm	144cm	174cm	13.5kg
				
40kg	12kg@477cm	Type 14	103, 104, 104G	



BLACK ALU FOLLOW SPOT STAND 070BU

Black aluminium stand. 2 sections, 1 riser.
Ø: 50, 40mm. Leg Ø: 30mm. 1 levelling leg. Memory collar included.

				
88cm	147cm	105cm	109cm	6.3kg
				
35kg	18kg@147cm	Type 14	103, 104, 104G	



FOLLOW SPOT STAND 070CSU

Chrome plated stand. 2 sections, 1 riser.
Ø: 50, 40mm. Leg Ø: 30mm. 1 levelling leg. Memory collar included.
This stand was named for its low height and high payload allowing the lighting technician to easily follow on actor.

				
88cm	147cm	105cm	109cm	6.8kg
				
40kg	18kg@147cm	Type 14	103, 104, 104G	



BLACK ALU HIGH SUPER STAND 269HDBU

Aluminium stand. 6 sections, 5 risers.

Ø: 50, 45, 40, 35, 30, 25mm. Leg Ø: 30mm. 1 levelling leg.



190cm



730cm



173cm



174cm



10kg



10kg



1kg@730cm



Type 14



103, 104, 104G



BLACK ALU STAND EXTENSION 142B

2 section (Ø 35, 30mm) black aluminium extension.
Minimum height: 125cm. Maximum height: 210cm.



2.4kg



Top type 14



Bottom type 37



STEEL HIGH STAND EXTENSION 146CS

3 section (Ø 35, 30, 25mm) chrome steel extension.
Minimum height: 137cm. Maximum height: 314cm.



4.8kg



Top type 14



Bottom type 37



STEEL STAND EXTENSION 142CS

2 section (Ø 35, 30mm) chrome steel extension.
Minimum height: 125cm. Maximum height: 210cm.



3.6kg



Top type 14



Bottom type 37



BLACK ALU HIGH STAND EXTENSION 146B

3 section (Ø 35, 30, 25mm) black aluminium extension.
Minimum height: 137cm. Maximum height: 314cm.



2.8kg



Top type 14



Bottom type 37